

INDEX TO VOLUME 60

Author and Subject Index

AUTHOR

- ALBERT, W.V.D., *see* Potts, M.J.
ALEX, J.F., *see* Johnston, G.R.
ALLEN, T.C., *see* McMorran, J.P.
ALLEN, T.C. and J.P. McMORRAN. Evaluation of Boehringer Mannheim ELISA kits for the detection of potato viruses, 369.
ANDERSON, G.W., *see* Rowberry, R.G.
ANDREW, W.T., *see* Silva, G.H.
BAMBERG, J.B. and R.E. HANNEMAN, JR. Promotion of potato seed germination with activated charcoal and gibberellic acid, 801, (abst).
BANVILLE, G. On the relation between tuber size and specific gravity of six potato varieties, 801, (abst).
BATUTIS, E.J., E.E. EWING and M. BEN KHEDHER. Partitioning of dry matter in potato as affected by cultivar, 802, (abst).
BEAVER, R.G., *see* Kleinschmidt, G.D.
BELL, H., M. SHEPERDIGHIAN and E. GRAFIUS. Insecticide resistance in Michigan Colorado potato beetles, 802, (abst).
BENOIT, G.R., C.D. STANLEY, W.J. GRANT and D.B. TORREY. Potato top growth as influenced by temperatures, 489.
BERAHA, L., *see* Clarke, R.G.
BINNING, L.K., *see* Struckmeyer, B.E.
BISHOP, A.L., R.G. CLARKE, D.R. DOUGLAS and S.A. SLACK. Evidence for a distinctive strain of *Corynebacterium sepedonicum* in Idaho, 803, (abst).
BISHOP, J.C., *see* Foster, K.W., Timm, H., Tyler, K.B.
BOOTH, R.H., *see* Parker, B.L., Potts, M.J.
BRAUE, C.A., R.L. WAMPLE, P.E. KOLATTUKUDY and B.B. DEAN. Relationship of potato tuber periderm resistance to plant water status, 827.
BROADBENT, F.E., *see* Tyler, K.B.
BRODIE, B.B., *see* Gomez, P.L.
BROWN, C.R., *see* Hooker, W.J.
BRYAN, J., *see* Parker, B.L.
BUSHWAY, A.A., *see* True, R.H.
BUSHWAY, R.J., *see* True, R.H.
BUSHWAY, R.J. Sources of alkaloid and glycoalkaloid standards for potato breeding programs and other research, 793.
CALLIHAN, R.H., *see* Corsini, D.L.
CARUSO, F.L., *see* Morrow, L.S.
CHITSAZ, M. and D.C. NELSON. Comparison of various weed control programs for potatoes, 271.
CHO, JEOUNG LAI and W.M. IRITANI. Comparison of growth and yield parameters of Russet Burbank for a two-year period, 569.
CHO, JEOUNG LAI, W.M. IRITANI and M.W. MARTIN. Comparison of methods for measuring dormancy of potatoes, 169.
CHO, YOUN-OK, *see* Kang, Keum-Jee.

- CHUBEY, B.B. and G. MAZZA. A non-destructive method for rapid evaluation of boiling quality of potato tubers, 693.
- CLARKE, R.G., *see* Bishop, A.L.
- CLARKE, R.G., M.L. POWELSON and L. BERAHA. Association of viral, bacterial and fungal pathogens with vascular discoloration of Russet Burbank potato tubers, 235.
- CLAUSEN, A.M., *see* Okada, K.A.
- COFFIN, R.H., *see* Rowberry, R.G.
- COLEMAN, W.K. An evaluation of bromoethane for breaking tuber dormancy in *Solanum tuberosum* L., 161.
- COLYER, P.D. and M.S. MOUNT. Presence of pectolytic bacteria on "Explorer" potato seed, 566.
- CORSINI, G.S., *see* Davis, J.R.
- CORSINI, D.L. R.H. CALLIHAN and J.G. GARNER. The effect of metribuzin interaction with potato viruses X and Y on potato foliage, yield and grade, 301.
- DABBS, D.H., *see* Russell, W.A.
- DAVIES, H.T., *see* Young, D.A.
- DAVIS, J.R., J.J. PAVEK, L.H. SORENSEN and S.L. HAFEZ. Suppression of *Verticillium dahliae* and *Pratylenchus neglectus* with the monoculture of several potato genotypes, 803, (abst).
- DAVIS, J.R., L.H. SORENSEN and G.S. CORSINI. Interaction of *Erwinia* spp. and *Fusarium roseum* 'Sambucinum' on the Russet Burbank potato, 40.
- DAWES, D.S., R.B. DWELLE, G.E. KLEINKOPF and R.K. STEINHORST. Comparative growth analysis of Russet Burbank potatoes at two Idaho locations, 717.
- DEAN, B.B., *see* Braue, C.A.
- DEARBORN, C.H. Alasclear: a high quality scab resistant potato, 189.
- DEBOER, S.H. Evaluation of an agar immunodiffusion procedure for confirming bacterial ring rot diagnoses, 661.
- DE JACZKO, T.S., J.W. WEAVER and M.D. HARRISON. The presence and location of *Erwinia carotovora* subsp. *carotovora* (Jones) Bergey *et al.* in the gut of adult *Drosophila melanogaster* (Meigen), 853.
- DESBOROUGH, S., *see* Smith, J.
- DESBOROUGH, S. and B. LIEDL. Electrophoretic comparisons of tuber-in-esterase in diploid and tetraploid potatoes, 803, (abst).
- DE SCURRAH, M.M. and J. FRANCO. Increase in gene frequency for resistance to two pathotypes of potato cyst nematode through recurrent selection, 804, (abst).
- DIENER, T.O., *see* Salazar, L.F.
- DOUGLAS, D.R., *see* Bishop, A.L.
- DOWNES, J.D. Growth and yield of potatoes in relation to season, irrigation, and fertilizer N in a semi-arid environment, 804, (abst).
- DWELLE, R.B., *see* Dawes, D.S.
- EASTON, G.D., *see* Sun, M.K.C.
- ECHANDI, E., *see* Hildago, O.A.
- EHLNFELDT, M.K. and R.E. HANNEMAN, JR. Utilization of *Solanum brevidens* germ-plasm in crosses with group tuberosum, 805, (abst).
- ENTZ, M.H. and L.J. LaCROIX. A survey of planting accuracy of commercial potato planters, 617.
- ESTRADA, R.N. *Solanum X Acaphu*, Estrada et Lopez, a tetraploid, frost resistant, fertile potato species, 805, (abst).
- EWING, E.E., *see* Khedher, B., Sherman, M.
- FOSTER, D.W., J.P. GUERARD, R.J. OSHIMA, J.C. BISHOP and H. TIMM. Differential ozone susceptibility of Centennial Russet and White Rose potato as demonstrated by fumigation and antioxidant treatments, 12.

- FRANC, G.D., E.C. NNODU, M.D. HARRISON and A.J. SADLER. Evaluation of sprinkler application of fungicides for control of potato early blight in Colorado, 631.
- FRANCO, J., *see* de Scurrah, M.M.
- GALLENBERG, D.J. and E.D. JONES. Application of the latex agglutination test and enzyme-linked immunosorbent assay for the detection of potato viruses X and S in tissue culture plantlets, 806, (abst).
- GARNER, J.G., *see* Corsini, D.L.
- GAUTNEY, T.L. and F.L. HAYNES. Recurrent selection for heat tolerance in diploid potatoes (*Solanum tuberosum* subsp. *phureja* and *stenotomum*), 537.
- GHATE, S.R., *see* Jaworski, C.A., Gitaitis, R.D., Phatak, S.C., Risse, L.A.
- GHATE, S.R., C.A. JAWORSKI and S.C. PHATAK. Emergence and plant stand of pregerminated true potato seed in warm climate, 557.
- GHATE, S.R., C.A. JAWORSKI and S.C. PHATAK. Emergence and plant stand of pregerminated true potato seed in warm climate, 807, (abst).
- GITAITIS, R.D., *see* Jaworski, C.A., Phatak, S.C.
- GITAITIS, R.D., S.R. GHATE, C.A. JAWORSKI and S.C. PHATAK. Evaluation of a mass inoculation method of potatoes with *Pseudomonas solanacearum*, 625.
- GITAITIS, R.D., S.R. GHATE, C.A. JAWORSKI and S.C. PHATAK. A method for large-scale, rapid inoculation of potato with *Pseudomonas solanacearum*, 807, (abst).
- GOMEZ, P.L., R.L. PLAISTED and B.B. BRODIE. Inheritance of the resistance to *Meloidogyne incognita*, *M. javanica*, and *M. arenaria* in potatoes, 339.
- GOMEZ, P.L., R.L. PLAISTED and H.D. THURSTON. Combining resistance to *Meloidogyne incognita*, *M. javanica*, *M. arenaria* and *Pseudomonas solanacearum* in potatoes, 353.
- GOTH, R.W. and R.E. WEBB. Maintenance and growth of *Helminthosporium solani*, 281.
- GOULD, W.A. Quality evaluation of new cultivars before and after storage for potato chip manufacture, 808, (abst).
- GRAFIUS, E., *see* Bell, H.
- GRANT, W.J., *see* Benoit, G.R., Yoder, P.G.
- GRANT, W.J., P.G. YODER and D.B. TORREY. Genotype variability in stomatal activity of field grown potatoes, 808, (abst).
- GREGORY, P., *see* Ryan, J.D.
- GUDMESTAD, N.C. and G.A. SECOR. The bionomics of *Erwinia carotovora* in North Dakota, 759.
- GUERARD, J.P., *see* Foster, K.W., Timm, H.
- HAFAZ, S.L., *see* Davis, J.R.
- HANE, D.C. and F.V. PUMPHREY. Seasonal crop coefficients for frequently irrigated potatoes, 808, (abst).
- HANNAPEL, D.J. and W.D. PARK. Regulation of tuber protein gene expression, 809, (abst).
- HANNEMAN, R.E., *see* Bamberg, J.B., Ehlenfeldt, M.K.
- HANNEMAN, R.E., Jr. Assignment of endosperm balance numbers (EBN) to the tuber-bearing *Solanum* species, 809, (abst).
- HARRISON, M.D., *see* Franc, G.D., de Jaczko, T.S.
- HAWKES, J.G., *see* Huaman, Z.
- HAYNES, F.L., *see* Haynes, K.G., Gautney, T.L.
- HAYNES, K.G. and F.L. HAYNES. Stability of high specific gravity genotypes of potatoes under high temperatures, 17.
- HEINY, D.K. and G.A. MCINTYRE. *Helminthosporium solani* Dur. & Mont. development on potato periderm, 773.
- HIDALGO, O.A. and E. ECHANDI. Influence of temperature and length of storage on resistance of potato to tuber rot induced by *Erwinia chrysanthemi*, 1.

- HOOKER, W.J., L.F. SALAZAR and C.R. BROWN. Field infection of potato by the *Solanum* apical leaf curling virus (SALCV), 810, (abst).
- HUAMAN, Z., J.G. HAWKES and P.R. ROWE. Chromatographic studies on the origin of the cultivated diploid potato *Solanum* \times *ajahuiri* Juz. et Buk, 361.
- HUNG, Y-T. Tertiary treatment of potato processing waste by biological activated carbon process, 543.
- HUNG, Y-T. Physico-chemical treatment of potato processing wastewaters by activated carbon adsorption process, 810, (abst).
- HUNTER, J.H. and A.F. REEVES. Respiration increase as an objective measurement of relative susceptibility to bruise damage in breeding clones, 811, (abst).
- IRITANI, W.M., see Cho, J.L.
- IRITANI, W.M., L.D. WELLER and N.R. KNOWLES. Relationships between stem number, tuber set and yield of Russet Burbank potatoes, 423.
- IVANY, J.A., see Platt, H.W.
- JAWORSKI, C.A., see Ghate, S.R., Gitaitis, R.D., Phatak, S.C., Risse, L.
- JAWORSKI, C.A., S.C. PHATAK, S.R. GHATE and R.D. GITAITIS. Potato transplant and tuber production at high seeding rates of true potato seed, 811, (abst).
- JENT, A., see Löliger, J.A.
- JOHNSTON, G.R., R.G. ROWBERRY and J.F. ALEX. Conestoga: a new early potato cultivar with very good table and chipping qualities, 193.
- JONES, E.D., see Gallenberg, D.J.
- KAHN, B.A., see Khedher, B.
- KALDY, M.S. and D.R. LYNCH. Chlorogenic acid content of Russet Burbank potato in Alberta, 375.
- KANG, KEUM-JEE, YOUNG-OK CHO and MIE-SOON LEE KIM. Enzymatic discoloration of raw potato tubers: with special reference to the formation and inhibition of dopa-chrome, 451.
- KHEDHER, M.B., see Ewing, E.E.
- KHEDHER, M.B. and E.E. EWING. Potato growth and development as affected by temperature and cultivar, 811, (abst).
- KHEDHER, M.B., B.A. KAHN, E.E. EWING, H.A. MENDOZA and R.L. PLAISTED. Traits useful in selecting for potato heat tolerance, 812, (abst).
- KIDANE-MARIAM, H.M., H.A. MENDOZA and R.O. WISSAR. Combining ability study of tetraploid parental lines for yield and uniformity in true potato seed (TPS) families, 813, (abst).
- KIM, MIE-SOON LEE, see Kang, Keum-Jee.
- KLEIN, R.E. and C.H. LIVINGSTON. Effect of benomyl on shoot-tip cultures from PVX- and PVS-infected potatoes, 469.
- KLEINKOPF, G.E., see Dawes, D.S.
- KLEINSCHMIDT, G.D., D.T. WESTERMAN, R.G. BEAVER and T.J. OJALA. Placement of starter fertilizers for optimum yields, 813, (abst).
- KNOPER, J.A., see Sowokinos, J.R.
- KNOWLES, N.R., see Iritani, W.M.
- KOLATTUKUDY, P.E., see Braue, C.A.
- KOZUB, G.C., see Nelson, G.A.
- LABER, L.J., see Yoder, P.G.
- LaCROIX, L.J., see Entz, M.H.
- LADD, T.L., see Sanford, L.L.
- LEACH, S.S., see O'Brien, V.J.
- LEACH, S.S. and C.W. MURDOCH. Evaluation of *Laetisaria arvalis* as a biological control agent of *Rhizoctonia solani* on white potato, 813, (abst).
- LIEDL, B., see Desborough, S.

- LIPTAY, A., *see* Phatak, S.C.
- LIVINGSTON, C.H., *see* Klein, R.E.
- LÖLIGER, J.A. and A. JENT. Analytical methods for quality control of dried potato flakes, 511.
- LULAI, E.C., *see* Sowokinos, J.R.
- LULAI, E.C. Objective methods for testing potato flake quality as influenced by free starch and surfactants, 85.
- LULAI, E.C. Interrelationships of quality testing methods and relative effectiveness of surfactants on potato flake quality, 441.
- LULAI, E.C., Non-enzymatic degradation of hydroperoxides by potato extracts, 814, (abst).
- LYNCH, D.R., *see* Kaldy, M.S.
- LYNCH, D.R., G.C.C. TAI, D.A. YOUNG and G.B. SCHAALJE. Effect of selecting potato seedlings under maritime conditions on the performance of the first clonal generation under prairie conditions, 607.
- MACASO-KHWAJA, A.C. and S.J. PELOQUIN. Tuber yields of families from open pollinated and hybrid true potato seed, 645.
- MACASO-KHWAJA, A.C. and S.J. PELOQUIN. True potato seed families from different breeding schemes, 814, (abst).
- MacLEAN, A.A. Sources of fertilizer nitrogen and phosphorus for potatoes in Atlantic Canada, 913.
- MARIANO, P., *see* Potts, M.J.
- MARTIN, M.W., *see* Cho, J.L., Miller, D.E.
- MARTIN, M.W. Techniques for successful field seeding of true potato seed, 245.
- MARTIN, M.W. and D.E. MILLER. Variations in responses of potato germplasm to deficit irrigation as affected by soil texture, 671.
- MAZZA, G., *see* Chubey, B.B.
- MAZZA, G. Correlations between quality parameters of potatoes during growth and long-term storage, 145.
- McCOWN, B., *see* Wattimena, G.
- McINTYRE, G.A., *see* Heiny, D.K.
- McMORRAN, J.P., *see* Allen, T.C.
- McMORRAN, J.P. and T.C. ALLEN. Maintenance, symptoms and distribution of potato viruses X, S, Y, A, M and leafroll in potato tissue culture plantlets, 839.
- MEHLENBACHER, S.A., R.L. PLAISTED and W.M. TINGEY. Inheritance of glandular trichomes in crosses with *Solanum berthaultii*, 699.
- MENDOZA, H.A., *see* Khedher, M.B., Kidane-Mariam, H.M., Thompson, P.G.
- MILLER, D.E., *see* Martin, M.W.
- MILLER, D.E. and M.W. MARTIN. Effect of daily irrigation rate and soil texture on yield and quality of Russet Burbank potatoes, 745.
- MOLNAR, S.A., *see* Russell, W.A.
- MORROW, L.S. and F.L. CARUSO. Effect of potato seed tuber glycoalkaloid content on subsequent infection by *Rhizoctonia solani*, 403.
- MORROW, L.S. and H.J. MURPHY. Pretreatment of Katahdin potato vines to enhance activity of chemical vine desiccants at harvest, 815, (abst).
- MOUNT, M.S., *see* Colyer, P.D.
- MURDOCH, C.W., *see* Leach, S.S.
- MURPHY, H.J., *see* Morrow, L.S., Porter, G.A.
- NELSON, D.C., *see* Chitsaz, M.
- NELSON, D.C. and J.R. SOWOKINOS. Some aspects of chipping quality and yields on various dates of harvest for six potato cultivars, 815, (abst).

- NELSON, D.C. and J.R. SOWOKINOS. Yield and relationships among tuber size, sucrose and chip color in six potato cultivars on various harvest dates, 949.
- NELSON, G.A. and G.C. KOZUB. Effect of total light energy on symptoms and growth of ring rot-infected Red Pontiac potato plants, 461.
- NG, H., *see* Weaver, M.L.
- NNODU, E.C., *see* Franc, G.D.
- NONAKA, M. and H. TIMM. Textural quality of cooked potatoes: II. Relationship of steam cooking time to cellular strength of cultivars with similar and differing solids, 685.
- O'BRIEN, V.J. and S.S. LEACH. Investigations into the mode of resistance of potato tubers to *Fusarium roseum* 'Sambucinum', 227.
- OCHOA, C. *Solanum nemorosum*: a new hexaploid tuber-bearing species from Peru, 389.
- OCHOA, C. *Solanum neovavilovii*: A new wild potato from Bolivia, 919.
- OCHOA, C. *Solanum bombycinum*, a new tuber-bearing tetraploid species from Bolivia, 849.
- OJALA, T.J., *see* Kleinschmidt, G.D.
- OKADA, K.A. and A.M. CLAUSEN. *Solanum incamayoense*: a new tuberous species of Argentina, 433.
- OSHIMA, R.J., *see* Foster, K.W.
- OWENS, R.A., *see* Salazar, L.F.
- PARK, W.D., *see* Hannapel, D.J.
- PARKER, B.L., R.H. BOOTH and J. BRYAN. Methamidophos, Salithion, phenthoate, and R&H 0994 for control of *Myzus persicae* (Sulzer) on tubers in Peru, 55.
- PARKER, B.L., R.H. BOOTH and J.E. BRYAN. *Myzus persicae* (Sulzer) in diffuse light and dark rustic storages and resultant PLRV transmission, 65.
- PAVEK, J.J., *see* Davis, J.R.
- PELOQUIN, S.J., *see* Macaso-Khwaja, A.C. Schroeder, S.H., Stelly, D.M.
- PHATAK, S.C., *see* Ghate, S.R., Gitaitis, R.D., Jaworski, C.A., Risse, L.A.
- PHATAK, S.C., A. LIPTAY, C.A. JAWORSKI, S.R. GHATE and R.D. GITAITIS. Potato transplant survival and yield following treatment with Ethephon, 816, (abst).
- PLAISTED, R.L., *see* Gomez, P.L., Khedher, M.B., Mehlenbacher, S.A., Thompson, P.G.
- PLATT, H.W. and J.A. Ivany. Potato late blight control and top desiccation when pesticides are applied with a controlled droplet and a conventional sprayer, 939.
- PORTER, G.A. and H.J. MURPHY. Effects of several microbial seedpiece treatments on emergence, yield, tuber defects, tuber size distribution, and specific gravity of Katahdin and Russet Burbank potatoes in Maine, 179.
- POTTER, H.S. Chemigation for control of potato diseases, 816, (abst).
- POTTER, H.S. Application of fungicides with conventional hydraulic nozzles and controlled droplet (CD) atomizers for control of potato diseases, 817, (abst).
- POTTER, H.S. Application of diquat and copper sulfate for vine kill in potatoes using hydraulic nozzles and controlled droplet (CD) atomizers, 817, (abst).
- POTTS, M.J. Diffuse light potato seed storage as an example of technology transfer: a case study, 217.
- POTTS, M.J., W.V.D. ALBERT, F.R. RUTAB, E.O. SANO, P. MARIANO and R.H. BOOTH. An agro-economic assessment of seed-potato storage technologies in the Philippines, 199.
- POWELSON, M.L., *see* Clarke, R.G.
- PUMPREY, F.V., *see* Hane, D.C.
- REEVES, A.F., *see* Hunter, J.H.
- RELF, P.D., *see* Veilleux, R.E.
- RISSE, L.A., C.A. JAWORSKI, S.C. PHATAK and S.R. GHATE. Effect of storage temperature and duration on quality and survival of potato transplants, 817, (abst).
- ROWBERRY, R.G., *see* Johnston, G.R.

- ROWBERRY, R.G. and G.W. ANDERSON. The profitability of continuous potatoes versus rotations including potatoes and other cash crops: I, 503.
- ROWBERRY, R.G. and R.H. COFFIN. A comparison of four media for the production of tubers from leaf-bud cuttings in the greenhouse, 869.
- ROWE, P.R., *see* Huaman, Z.
- RUPP, J.N. and R.E. THORNTON. Modification of Russet Burbank growth and development to improve tuber quality, 818, (abst).
- RUSSELL, W.A., D.H. DABBS, L.C. YOUNG and S.A. MOLNAR. Carlton: a new early tablestock potato variety, 599.
- RUTAB, F.R., *see* Potts, M.J.
- RYAN, J.D., P. GREGORY and W.M. TINGEY. Glandular trichomes: enzymatic browning assays for improved selection of resistance to the green peach aphid, 861.
- SADLER, A.J., *see* Franc, G.D.
- SALAZAR, L.F., *see* Hooker, W.J.
- SALAZAR, L.F., R.A. OWENS, D.R. SMITH and T.O. DIENER. Detection of potato spindle tuber viroid by nucleic acid spot hybridization: evaluation with tuber sprouts and true potato seed, 587.
- SANDERSON, J.B., *see* White, R.P.
- SANFORD, L.L. and T.L. LADD. Selection for resistance to potato leafhopper in potatoes: III. Comparison of two selection procedures, 653.
- SANFORD, L.L. and T.L. LADD. Selection for resistance to potato leafhopper in potatoes. III. Comparison of two selection procedures, 818, (abst).
- SANO, E.O., *see* Potts, M.J.
- SCHAALJE, G.B., *see* Lynch, D.R.
- SCHROEDER, S.H. and S.J. PELOQUIN. Seed set in $4x \times 2x$ crosses as related to $2n$ pollen frequency, 527.
- SCHROEDER, S.H. and S.J. PELOQUIN. Parental effects for yield and tuber appearance on $4x$ families from $4x \times 2x$ crosses, 819, (abst).
- SCHROEDER, S.H. and S.J. PELOQUIN. Parent-offspring correlations for vine maturity following $4x \times 2x$ crosses, 819, (abst).
- SCHWEERS, V.H., *see* Timm, H.
- SECOR, G.A., *see* Gudmestad, N.C.
- SHEPERDIGHIAN, M., *see* Bell, H.
- SHERMAN, M. and E.E. EWING. Small tuber studies of sugar accumulation in potatoes, 321.
- SILVA, G.H. and W.T. ANDREW. Sprouting of potato tubers in relation to specific gravity, 563.
- SLACK, S.A., *see* Bishop, A.L.
- SLATTERY, R.J. Inoculum potential of *Verticillium* species in crop and weed residues overwintering in infested soil, 47.
- SMITH, D.R., *see* Salazar, L.F., Thomas, P.E.
- SMITH, J. and S. DESBOROUGH. Seed development in intraspecific hybrids of *Solanum tuberosum*, 820, (abst).
- SORENSEN, L.H., *see* Davis, J.R.
- SOWOKINOS, J.R., *see* Nelson, D.C.
- SOWOKINOS, J.R., E.C. LULAI and J.A. KNOPER. Biochemical and physical properties of random translucent areas in stored Kennebec potatoes, 820, (abst).
- STANLEY, C.D., *see* Benoit, G.R.
- STEINHORST, R.K., *see* Dawes, D.S.
- STELLY, D.M. and S.J. PELOQUIN. Methods to detect $2n$ female gametophytes in *Solanums*, 821, (abst).
- STILES, D.G. The National Potato Anti-Bruise Committee, 821, (abst).

- STRUCKMEYER, B.E. and L.K. BINNING. The effect of some vine desiccants on periderm development on cut potato tuber pieces, 41.
- SUN, M.K.C. and G.D. EASTON. Symptom expression of *Corynebacterium sepedonicum*-infected Russet Burbank potato plants in Montana, 822, (abst).
- SYLVESTRE, P. Two conservation banks of potato tissue culture on sterile medium for short and long period are the basis for seed production for Quebec and Canada, 823, (abst).
- TAI, G.C.C., see Lynch, D.R.
- TALLEY, E.A. Protein nutritive value of potatoes is improved by fertilization with nitrogen, 35.
- TARN, T.R., see Young, D.A.
- TARN, T.R. The genetic gain achieved by using canonical analysis to select superior families among F_1 Tuberosum \times Andigena hybrids, and backcrosses to Tuberosum clones, 823, (abst).
- TARN, T.R. and D.A. YOUNG. Acadia Russet: A new potato cultivar with excellent appearance and good culinary quality, 925.
- TAVANTZIS, S.M. Stage of development of leaf and tuber tissue of the potato plant influences the titer of potato virus M, 99.
- TENNIER, M. A physiological model of potato growth and its application to production, 823, (abst).
- THOMAS, P.E. and D.R. SMITH. Relationship between cultural practices and the occurrence of volunteer potatoes in the Columbia Basin, 289.
- THOMAS, P.E. and L. ZIELINSKA. Use of IKI leafroll test to reduce net necrosis storage losses of potatoes, 309.
- THOMPSON, P.G., H.A. MENDOZA and R.L. PLAISTED. Estimation of genetic parameters for characters related to potato propagation by true seed (TPS) in an andigena population, 393.
- THORNTON, R.E., see Rupp, J.N.
- THURSTON, H.D., see Gomez, P.L.
- TIMM, H., see Foster, K.W., Nonaka, M., Weaver, M.L.
- TIMM, H., J.C. BISHOP, K.B. TYLER, M. ZAHARA, V.H. SCHWEERS and J.P. GUERARD. Plant nutrient uptake and potato yield response to banded and broadcast nitrogen, 577.
- TINGEY, W.M., see Mehlenbacher, S.A., Ryan, J.D.
- TORREY, D.B., see Benoit, G.R., Grant, W.J., Yoder, P.G.
- TOWILL, L.E. Longevity of true seed from tuber-bearing and closely related non-tuber-bearing *Solanum* species, 75.
- TRUE, R.H. Principles of sensory evaluation—applications in the potato industry, 824, (abst).
- TRUE, R.H., T.M. WORK, R.J. BUSHWAY and A.A. BUSHWAY. Sensory quality of French fries prepared from BelRus and Russet Burbank potatoes, 933.
- TYLER, K.B., see Timm, H.
- TYLER, K.B. Efficiency of nitrogen uptake by potatoes, 261.
- UYEN, N.V. and ZAAG, P. VANDER. Vietnamese farmers use tissue culture for commercial potato production, 873.
- VEILLEUX, R.E. and P.D. RELF. Seed-propagated potatoes: Explorer vs. 4X-2X, 790.
- WAMPLE, R.L., see Braue, C.A.
- WA TIMENA, G., B. MCCOWN and G. WEIS. Comparative field performance of potatoes from microculture, 27.
- WEAVER, J.W., see de Jaczko, T.S.
- WEAVER, M.L. and H. TIMM. Significance of the fructose/glucose ratio in screening potato breeding lines with processing potential, 329.
- WEAVER, M.L., H. TIMM and H. NG. Changes in nutritional composition of Russet Burbank potatoes by different processing methods, 735.
- WEBB, R.E., see Goth, R.W.

- WEIS, G., *see* Wattimena, G.
WELLER, L.D., *see* Iritani, W.M.
WESTERMAN, D.T., *see* Kleinschmidt, G.D.
WHITE, R.P. and J.B. SANDERSON. Effect of planting date, nitrogen rate, and plant spacing on potatoes grown for processing in Prince Edward Island, 115.
WISSAR, R.O., *see* Kidane-Mariam, H.M.
WORK, T.M., *see* True, R.H.
WRIGHT, N.S. Uniformity among virus-free clones of ten potato cultivars, 381.
YODER, P.G., *see* Grant, W.J.
YODER, P.G., W.J. GRANT, D.B. TORREY and L.J. LABER. Diurnal and seasonal water relations of irrigated field-grown potatoes, 824, (abst).
YOUNG, D.A., *see* Lynch, D.R.
YOUNG, D.A., T.R. TARN and H.T. DAVIES. Shepody: a long, smooth, white-skinned potato of medium maturity with excellent French fry quality, 109.
YOUNG, L.C., *see* Russell, W.A., Tarn, T.R.
ZAAG, P. VAN DER, *see* Uyen, N.V.
ZAHARA, M., *see* Timm, H.
ZIELINSKA, L., *see* Thomas, P.E.

SUBJECT

- A₄₀₅ nm Units, 99, 102, 104-5, 370-2
Acid scab, 289-90
Activated carbon, 550
Activated sludge, 545, 548-9, 553
After cooking darkening, 375, 693
Agron value, 957
Air pollution injury, 127
Alachlor, 673
Alternative cash crops, 503
Amino acids, 37
Andigena-tuberosum matings, 646
Anti-oxidant, 127, 138, 514-5
 BHA-BHT, 515, 517-22
 dl- α -tocopherol, 515, 522
 TBHQ, 515
 Tempeh, 515, 517, 520-2
Antiserum, 662
Aphid alarm pheromone, 868
Aphid resistance, 699
Application of nitrogen, 578
Appressorium, 773, 776-8
Ascorbic acid, 145, 148-50, 152-3
Bacteria, 759
 Bacillus sp., 181
 Bacillus subtilis, 179, 181
 Corynebacterium sepedonicum, 192, 461-2, 464, 466, 661-4, 666-7, 803, 822
 Erwinia, 409, 418, 566-7, 853, 858
 Erwinia aroideae, 13
 E. carotovora, 13, 180, 192, 759, 762, 764-6, 769
 Erwinia carotovora carotovora, 2, 235, 237-8, 241-2, 409-12, 415-19, 759-60, 762-8, 853-8
 Erwinia carotovora atroseptica, 2, 11, 13, 237-8, 241, 409-19, 759-60, 762, 765, 767-8, 854

- Erwinia chrysanthemi*, 1, 5, 13, 759, 764
- Erwinia chrysanthemi* strain SR-298, 2
- Erwinia* sp., 181
- Erwinia* spp., 763-4
- Pseudomonas fluorescens*, 179, 181
- Pseudomonas solanacearum*, 353-5, 357-9, 625-9, 807, 877
- Salmonella*, 166
- Streptomyces scabies*, 504
- Bacterial ringrot, 661
- Bacterial wilt, 625
- Bacterization, 179
- Bake score, 929
- Baking, 111
- Banding fertilizer, 577, 582
- BHA, 442
- Biological activated carbon, 543, 547
- Blackleg, 409-10, 759
- Blue value index, 85, 87-9, 93, 95, 97, 441, 443-7, 687
- Boiling, 111
- Boiling score, 604, 929
- Brabender amylograph, 85, 88
- Breeding methods, 645
- Broadcast fertilizer, 577, 582
- Broccoli, 768
- 1-Bromo-butane, 162-3
- Bromoethane, 161-2, 164-6
- 1-Bromopropane, 162-3
- Bruise damage, 811
- Bulking rate, 730
- Callosities, 773, 786-8
- Carbohydrates, 735, 739
- Carbon disulphide, 162
- Carlavirus, 105
- Carotenoid, 511, 515
- Celite, 88
- Cellular strength, 685, 688, 690-1
- Chemical analyses of irrigation water, 580
- Chemical analyses of soil, 579
- Chemical elements
 - calcium, 742, 915
 - copper, 742
 - iron, 742
 - magnesium, 742, 915
 - manganese, 742
 - nitrogen, 35, 116, 120-1, 124, 685, 687
 - phosphorus, 120-2, 124, 915
 - potassium, 120-2, 124, 577, 579, 583, 609, 915
 - sodium, 742
 - zinc, 742
- Chemigation, 816
- Chipability, 644
- Chip color, 145, 147, 149, 154-8, 948, 953, 956

- Chip quality, 815
- Chipping score, 604
- Chlorogenic acid, 375-7
- Chloroplast agglutination, 302
- Chromatography, 361
- CMP, 3, 12-3
- Colony type, 667-8
- Color grade, 936
- Common scab, 193, 927
- Computer model, 717
- Continuous potatoes, 503
- Continuous variable irrigation, 671
- Controlled droplet sprayer, 939-40, 946
- Cooking time, 865, 688-9
- Cooperative breeding program, 607
- Copper sulfate, 817
- Crop stand, 617
- Crop-type planter, 617
- CSL, 86-9, 442, 447
- Cultivation, 271, 290
- Cultural practice, 289
- Cut seed, 618, 620, 622
- Cyanide, 321, 325
- Cycloheximide, 321, 324, 327
- Day length, 491
- Deficit irrigation, 671, 745
- Diammonium phosphate, 913, 916-7
- DIECA, 100
- Diploids, 537
- Disease development, 942-3
- DMG, 86-7, 89, 91-7, 441-2, 447
- Dopachrome formation, 451, 453-6, 458
- Dopachrome inhibition, 451- 459
- Dormancy, 80, 246, 249
- Droplet size, 702, 707
- Dry matter, 1, 35, 145, 147, 149-53, 155, 693, 695, 696, 802
- Dry weight, 722-4, 726-8
- DT hybrids, 646, 648
- EAAI Score, 35-6
- Early blight, 193, 298-9
- Early sizing, 599
- EDTA, 589
- EDU, 130-1, 134, 136-8
- Effect of nitrogen on yield, 583
- EL, 3, 4, 7, 12
- ELISA, 99-101, 103, 105-7, 235, 237-8, 240-1, 302, 318-20, 369, 372, 806, 823, 839-40, 842-4, 846
- Enzymatic discoloration, 451
- Esterase forms, 804
- Ethoprop, 627
- Ethylene chlorohydrin, 162, 164, 166

- Evapotranspiration, 744
 loss, 829
Eye distribution, 929
FDR crosses, 645, 648, 650
FDR mechanism, 528, 535
Fertilizers, 913, 940
First clonal generation, 607, 610-3
Fluid drilling, 557
4x x 2x crosses, 527, 529
French fries, 111
French fry score, 929, 933
Frost resistance, 805
Fructose, 321-2, 324-6, 329, 331-4, 336
Full ground cover, 723, 725
Fumigants
 DD-MENCS, 558
 Vorlex, 558
Fungi
 Alternaria solani, 197, 404, 506, 631-2, 634-5, 638, 641
 Fusarium, 203, 207, 409-10, 418, 617
 coeruleum, 42, 111, 228, 410, 927
 oxysporum, 410
 roseum 'Avenaceum', 228
 roseum 'Sambucinum', 111, 227-8, 230, 232-3, 409, 410-19, 927
 solani, 410
 Helminthosporium carbonum, 404, 784
 Helminthosporium solani, 281, 773-88
 Laetisaria arvalis, 813-4
 Monilia, 566
 Phoma, 111
 Phoma exigua var. *exigua*, 927
 Phoma exigua var. *foveata*, 410
 Phytophthora infestans, 354, 404, 632, 787, 874, 877, 939, 941
 Pythium butleri, 410
 debaryanum, 779
 Rhizoctonia, 111, 617, 719
 solani, 192, 207, 403-7, 813-4
 Streptomyces scabies, 192, 197, 404
 Verticillium, 111, 298-9, 409-10, 416
 albo-atrum, 47, 49, 50-2, 235-8, 242, 404, 425, 504, 927
 dahliae, 47, 50-2, 235-8, 409-10, 414, 417, 419, 803
Fungicides, 631, 939, 943, 946
 Benlate, 469
 Benomyl, 469-73
 Bravo, 627, 632, 633, 635-41, 940
 Dithane M-45, 182, 184-5, 940
 Difolatan, 632-7
 Du-Ter, 632, 635-7
 Polyram, 42
Fungigation, 631-2, 636, 639, 642
Fusarium tuber rot, 227
GDD, 727

- Gene expression, 809
- Genetic correlation, 393, 399-400
- Germplasm, 75
- Gibberellic acid, 246, 250-2, 654, 801
- Gibberellins, 80
- Glandular trichomes, 699, 700, 861-2
 - Type A, 862
 - Type B, 862
- Glucose, 321-2, 324, 326, 329, 331-2, 334, 336
- Glycoalkaloid content, 192, 197
- Glycoalkaloids, 295, 298-9, 403, 602
 - Alpha-chaconine, 404, 793-6
 - Alpha-solanine, 404, 793-6
 - Solanidine, 403, 795-6
- Glycoalkaloid standards, 793
- Golden nematode, 299
- Grade, 301
- Gram stain, 663, 664, 666-8
- Growing period, 145
- Growth, 489
- Growth regulators
 - Cycocel, 818
 - Maleic hydrazide, 818
 - Nitrozime, 818
- Headspace gas analysis, 511, 516, 524
- Heat therapy, 381
- Heat tolerance, 537, 812
- Herbicides
 - Amino triazole, 290
 - Devrinol, 247
 - Diclofop, 271
 - Diquat, 41, 43, 162, 939, 941, 946
 - Dow General, 41, 43
 - Eptam, 253, 263, 415, 627, 790
 - EPTC, 271
 - Glyphosate, 290
 - Metribuzin, 249, 271, 301-7, 673, 815, 940
 - Paraquat, 41, 43
 - Tillam, 247
 - Trifluralin, 271
- Heritability, 393, 396-7, 537, 541
- Hexaploid potato, 389
- High temperature, 557
- Hollow heart, 298
- Hopper burn, 656-7
- HPLA, 814
- Hybrids
 - 2x x 4x hybrids, 257
- Hydrocarbon, 511, 517
- Immunodiffusion, 661, 663-6
- Immunofluorescence, 661, 663, 665-6
- In vitro* culture, 27

Insect resistance, 802, 818, 861

Insecticides

Aldicarb, 247, 249, 673, 791, 802

Carbaryl, 627

Disulfoton, 415

Disyston, 315

Greenup, 315

Imidan, 863

Malathion, 315

Methamidophus, 55-8

Nicotine sulfate, 315

Omite, 315

Parathion, 802

Phenthoate, 55-8

R & H 0094, 55-8

Salithion, 55-8

Tediondithio, 315

Insects

Colorado potato beetle, 802

Diptera, 853

Drosophila, 853

Drosophila melanogaster, 765, 853-5, 857-8

Empoasca fabae, 653, 700, 818

Fruit flies, 853

Green peach aphid, 861, 863, 866

Myzus persicae, 55-8, 65, 106, 312, 700, 861, 867

Instron Universal Tester, 89, 96

Internal defects, 753

Iodine binding, 87

Iodine K-iodide stain, 309-19

Iodoethane, 162-3

Irrigation, 804, 808, 824

ISEM, 840, 842, 846

Keeping quality, 511, 512

LAI, 719, 721, 723-4, 729, 731

LAM, 442, 444, 447

Lambsquarters, 765

LAT, 105, 806

Late blight, 298-9, 927, 944

LATEX, 823

Leaf area, 496-7

Leaf area index, 725, 729

Leaf discs, 99, 106-7

Leaf phenolics, 361, 363-4

Leafhopper nymphs, 656

Leaflet necrosis, 303-4

Leafroll transmission, 70

Leafwater potential, 492, 494-5

Lettuce, 768

Light energy level, 461, 463, 465-7

Limiting fertilizer, 575

Media for leaf-bud cuttings, 869, 870

- Melanin, 457, 459
Meristem tip propagation, 381
Methyl bromide, 315
Methylene blue, 321
Microliter plate, 101
Micropropagation, 27
Minerals, 735, 741-2
Miracloth, 100
Monoammonium phosphate, 913, 916-7
NC design I mating plan, 394
Nematodes
 Globodera pallida, 804
 Globodera rostochiensis, 644
 Meloidogyne arenaria, 339-40, 342, 344, 346-50, 353-8
 Meloidogyne chitwoodi, 354
 Meloidogyne hapla, 340, 354
 Meloidogyne incognita, 339-40, 342-3, 346-50, 353-9
 Meloidogyne incognita acrita, 340
 Meloidogyne javanica, 339-40, 342, 344-50
 Pratylenchus neglectus, 803
Net necrosis, 65, 111, 193, 237, 295, 298-9, 309-10, 318-9
Nitrogen, 577, 579, 582, 609, 914-5
Nitrogen and amino acids, 740
Nitrogen and dry weight, 584
Nitrogen constituents, 735, 739
Nitrogen fertilizer, 263, 268, 804
Nitrogen in petiole tissue, 581
Nitrogen source, 913, 915
Nitrogen uptake, 261, 266-7
Nucleic acid hybridization, 587, 589-90
Nutrient uptake, 577, 580-1
Nutrition, 35, 38
Nutritional composition, 735
OP progenies, 647, 648
Oxygen absorption, 511
Oxygen uptake, 323
Ozone, 127, 133
Ozone pollution, 506
PAA
 Abstracts of papers presented at the 67th Annual Meeting, 801
 Advance registration for the PAA Annual Meeting, 142
 Advertising Manager's report, 904
 Annual report of Editor-in-Chief, 898
 Anti-bruise committee, 215, 821
 Business Editor's annual report, 903
 Call for papers for 1984 Annual Meeting, 911
 Call for Honorary Life Membership nominations, 912
 First call for papers for ALAP meeting, 214
 Honorary Life Members named, 709
 Membership, subscription summary, 905
 Minutes of the Annual Meeting, 980
 Minutes of the Executive Committee meetings, 959, 966, 977, 987

- Minutes of Sections' meeting, 906
- Obituary, Karl H. Fernow, 798
- Outline for variety releases, 62
- Papers published in Volume 25 (1982) of Potato Research, 474
- Program for 67th Annual Meeting of the PAA, 478
- Sections and Committees for 1983-84, 881
- Seed Potato Seminar announced, 826
- 68th Annual PAA Meeting announced, 800
- Treasurer's annual report, 900
- PAGE, 587-8, 590-2, 596, 823
- PBS, 101
- Pedigree, 925
- Periderm, 773-6, 782-7, 827-8
- Periderm development, 41, 43-5
- Periderm resistance, 830, 832-3, 835
- Petiole sample, 915
- Petiole test, 121, 124
- Phenotypic correlation, 393, 399
- Phosphorus, 577, 579, 583, 609
 - source, 913
- Pick-type planter, 617
- Pigweed, 765
- Plant conditioning, 837
- Plant inoculation, 625
- Plant Species
 - Abromeitiella*, 435
 - Agropyron cristatum*, 504
 - repens*, 767
 - Amaranthus retroflexus*, 50, 272, 274, 767
 - Ambrosia* spp, 767
 - artemisiifolia*, 276
 - trifida*, 276
 - Amygdalus communis*, 340
 - Avena fatua*, 274, 767
 - Barley, 51
 - Brassica arvensis*, 767
 - kaber*, 274
 - Cabbage, 218
 - Capsicum annuum*, 134
 - Carrots, 218
 - Chenopodium album*, 50, 274, 767
 - Chinese cabbage, 218
 - Convolvulus arvensis*, 274
 - Corn, 51
 - Datura tatula*, 312
 - Glycine max*, 340, 504, 767
 - Gomphrena globosa*, 470
 - Gossypium hirsutum*, 340
 - Helianthus annuus*, 761, 767
 - Hordeum vulgare*, 504
 - Kochia scoparia*, 274, 767
 - Lespedeza cuneata*, 340

- Lycopersicon esculentum*, 100, 340
- Malva rotundifolia*, 276
- Medicago sativa*, 340, 504
- Melilotus*, 504
- Nicotiana tabacum*, 302, 340, 469
- Oats, 51
- Phaseolus vulgaris*, 100, 128, 340, 767
- Physalis floridana*, 302, 310, 312
- Pipiper excelsum*, 340
- Portulaca oleracea*, 276
- Salsola kali*, 276
- Setaria viridis*, 271, 274, 767
- Solidago*, 276
- Soybeans, 51
- Sunflowers, 49
- Sweet peas, 218
- Triticum aestivum*, 767
- Triticum durum*, 767
- Wheat, 51, 294
- Winter barley, 294
- Zea mays*, 128, 504

Planting Date, 569, 571

Potato

Andigena clones

- JAK 072-17, 2, 6, 9
- JAK 072-18, 2, 6, 9
- JAK 072-19, 2, 6, 9
- JAK 072-21, 2, 6, 9
- JAK 072-30, 2, 6, 9
- JAK 072-35, 2, 6, 9
- JAK 072-45, 2, 6, 9
- JAK 072-52, 2, 6, 9
- OCH 5331-05, 2, 6, 9
- OCH 5331-08, 2, 6, 9
- OCH 5331-10, 2, 6, 9

Families

- A442, 341-2, 355
- A443, 341-2, 355
- 1B32, 355
- C25-1, 341, 355
- C181, 341-2
- C182, 342-2
- C183, 341-2
- C184, 341-2
- D85, 355
- D88, 341, 355
- D100, 341
- 3E1037, 355
- R112, 355
- USW973, 341
- W5337.3, 341-2

Numbered Seedlings

9-58-9-60, 190
27-56-9-58, 190
96-56, 600
7466, 611
7474, 611
7476, 611
7477, 611
7495, 611
7672, 611
7675, 611
7716, 611
7717, 611
7718, 611
7720, 611
7722, 611
41956, 600
44537, 190
A6, 302
A102-35, 926
A119-1, 926
A66107-51, 803
A68113-4, 803
AF186-5, 298
AF205-9, 299
AG231, 700
AK1-62-90-64, 189, 190
B-71-240.2, 874
B606-37, 600
B3895-13, 600
B5141-6, 194, 299
B7200-33, 227-8, 230, 232-3
BR62.3, 591
BR63.15 I, 591, 594
BR63.15 II, 591-2, 594, 596
BR69.92 II, 591
BR70.126, 591
BR6491-7, 295
BR6864-8, 299
B6987-148, 299
CFK-69-1, 874
D722, 531
D789, 701
D790, 701
DP52 OP, 650
DP63, 816
DP82, 559
DP86, 559
DP86, OP, 559
DP820P, 648, 649
DT0-28, 812
E1257, 701

E1258, 701
F34011, 109
F42007, 600
F47024, 600
F55069, 600
F58050, 109
F68036, 927
FG2500-8, 194
G696, 194
G6457-2R, 194
G6032-2, 194
G6422-1, 194
G6652, 193-4
G6711, 194
G6798, 194
G6942, 194
G7063, 193-4
G68257, 194
G68263, 194
JE82, 697
K113-1, 109
LA31-124, 811, 816
LT-1, 812
LT-2, 812
M-6, 535
M11-2 \times M20-6, 649
M11-25 \times M20-16, 649
M11-28 \times M20-1, 649
M20-1 \times M11-4, 649
M20-8 \times M11-14, 649
M20-8 \times New Haig, 649
M78S02-2, 697
M78S18-18, 697
MB6.1, 591, 594
MB6.11, 591, 594
MB6.42, 591, 594
MB6.39II, 591
MB15.25II, 591, 592, 594, 596
MB30.2, 591, 594
MB34.47I, 591
MB34.47II, 591
MB34.97I, 591, 594
MB40.11, 591
MN4536, 790-1
MN8753, 790
MN8586, 790
MS117.36, 591, 594
MS117-13R, 193-4
ND509-2, 926
ND2475-8, 926
P177-13R, 193-4
PSP5.6, 591-2, 594, 596

PSW 98.851, 591
PSY 89.43, 591
PSY 104.33, 591
W74-50, 648-9
W231, 559, 816
OP, 650
X W5295.7, 559
W583, 559
W639, 530, 559, 816
OP, 650
X W5295.7, 559
W718, 808
W744, 559, 816
W744OP, 650
W760, 559
OP, 650
X W5295.7, 559
W779, 559
W785, 559
X W5295.7, 559
W862, 559
W973, 700-1, 703-4
W1501, 700, 703
W2838, 700
W5295-7, 700, 703-4
W5337-3, 700
W231 \times I, 649
W231 \times New Haig, 650
W639 \times I, 649
W639 \times M11-2, 649
W639 \times M11-28, 649
W639 \times Merrimack, 650
W639 \times W231, 650
W726 \times I, 648, 649
W729R \times I, 649
W744 \times I, 649
W744 \times M20-6, 649
W744 \times Merrimack, 650
WIS AG231, 805
WRF59, 194
WRF123, 194

Species

New

- Solanum bombycinum*, 849
- S. incamayoense*, 433
- S. nemorosum*, 389
- S. neovavilovii*, 919, 922, 923

Old

- S. acaule*, 77, 79, 805-6
- S. acaule* var. *albicans*, 389
- S. acroscopicum*, 78
- S. agrimonifolium*, 77

- S. x ajanhuiri*, 361, 363, 365-7
S. andigena, 804, 806
S. andreanum, 78
S. x berthaultii, 78, 699, 700-1, 703-7, 861-2, 864-6, 868
S. boliviense, 78
S. brachistotrichum, 77
S. brachycarpum, 78
S. brevidens, 77, 805
S. bukasovii, 922
S. bulbocastanum, 77
S. canasense, 78
S. capsicibaccatum, 77
S. cardiophyllum, 77, 81, 809
S. chacoense, 77, 79, 81, 340, 438, 529-30, 805, 809
S. chancayense, 77
S. chomatophilum, 77, 801
S. clarum, 77
S. columbianum, 77
S. commersonii, 808
S. demissum, 78-81
S. dulcamara, 253
S. fendleri, 78
S. fernandezianum, 77
S. gandarillasii, 78
S. gourlayi, 78, 81, 433, 435, 439
S. guerreroense, 78, 801
S. hjertingii, 78-9
S. hougasii, 78
S. infundibuliforme, 78, 81, 435
S. iopetalum, 78, 801
S. jamesii, 77, 80, 354
S. kurtzianum, 78, 194
S. leptophyes, 922-3
S. limbaniense, 919, 923
S. marinasense, 78
S. medians, 78
S. megistacrolobum, 78, 361-3, 365-7
S. microdontum, 78, 340
S. multidissectum, 78-9
S. nigrum, 47, 50-1, 253
S. oxycarpum, 77, 80
S. pampasense, 79, 81
S. papita, 78
S. phureja, 626, 629, 700-1, 705, 790-1, 805-6
S. pinnatisectum, 77
S. polyadenium, 78
S. polytrichon, 78
S. raphanifolium, 78
S. sanctae-rosae, 78
S. simplicifolium, 194
S. sparsipilum, 79, 339-49, 342, 353-5, 357, 359
S. spegazzinni, 79, 435, 438

- S. stenotomum*, 194, 340, 342, 354, 361-3, 365-7
S. stenophyllidium, 77
S. stoloniferum, 78, 354
S. sucrense, 79
S. tarijense, 77, 400
S. toralapanum, 78, 194
S. tuberosum, 7, 10, 27, 65, 75, 115, 127-8, 161, 180, 271, 281, 301, 310, 321-2, 403
489, 528, 653-4, 699, 718, 806, 818, 820, 827, 829, 839-40, 862
S. tuberosum, Gp. *andigena*, 1, 7, 10, 76, 79, 80, 82, 194, 393-4, 801, 809, 812, 823
S. tuberosum, Gp. *phureja*, 18, 79, 81-2, 194, 340, 342, 353-5, 357, 359, 801, 809, 820
S. tuberosum, Gp. *stenotomum*, 18, 79, 82, 801
S. tuberosum, Subsp. *phureja*, 538
S. tuberosum, Subsp. *stenotomum*, 538
S. venturii, 79
S. vernei, 76, 79
S. verrucosum, 78
S. villuspetalum, 852
S. violaceimarmoratum, 77
S. vidaurrei, 434

Varieties (New)

- Acadia Russet, 925-8, 930
Alasclear, 189
Carlton, 599, 601-4, 697
Conestoga, 193-4, 196
Islander, 298
Shepody, 109, 697, 869-70
Yankee Chipper, 299, 300
Yankee Supreme, 295

Varieties (Old)

- Abnaki, 2, 6, 9
Alaska 114, 190
Alaska Red, 192, 696-7
Allagash Russet, 808, 825
Arnica, 600
Arran pilot, 718
Arran victory, 697
Atlantic, 299, 700, 701, 808, 825
Atzimba, 874
Bake King, 109, 925-6
Belchip, 802, 812
Belleisle, 869-70
BelRus, 933-6
Bintje, 161-2, 164-5, 514, 665
Bison, 790
Butte, 169, 171, 175, 803
Campbell 11, 299
Campbell 13, 697
Caribe, 161-2, 164-5
Centennial, 822
Centennial Russet, 127, 131-2, 134, 137-8
Cherokee, 790
Chieftain, 685-6, 688-90

- Chipbelle, 298-9
Conchita, 220, 223
Cosima, 220
Crystal, 808, 815, 949-53, 956-7
Dakchip, 815, 949-53, 956-7
Denali, 192, 697, 808
Desiree, 56, 67, 812
Diserce, 697
Earlaine, 600
Eigenheimer, 697
Epicure, 381-7
Explorer, 559, 566, 790-1
Fina, 220
Fundy, 162-3
Green Mountain, 109, 192, 600, 802, 926-7, 940
Greta, 220
Haig, 192
Hudson, 355, 700, 862-6
Irene, 697
Irish Cobbler, 452, 927
Isola, 203
Jemseg, 195, 197, 802
Katahdin, 2, 6, 9, 42, 45, 100, 104, 179-86, 281, 285, 295, 298, 300, 322-4, 381-7, 491, 802, 808, 812, 815, 862-6, 930
Kennebec, 2, 6, 9, 100, 104, 109-11, 113, 115-22, 145-6, 148, 151-7, 161-2, 164-5, 256, 295-8, 300, 313, 315-6, 334, 381-7, 503-4, 506-9, 665, 685-90, 697, 790-1, 802, 815, 820, 869-70, 925, 927-30, 949-53, 956-7
Keswick, 381-7
LaChipper, 2, 6, 9
LaRouge, 2, 6, 9
Lemhi, 169, 171, 176, 301-4, 671, 674-82, 815, 822, 949-53, 956-7
Merrimack, 109, 529, 531, 559, 700, 816, 926
 OP, 650
 × W5295.7, 559
 × DTO-17, 559
 × M20-1, 649
Michimac, 256, 808
Monona, 325-6, 632-3, 635, 637-9, 641
New Haig, 559, 816
 OP, 650
 × Merrimack, 650
Nooksack, 169, 171, 176, 192-4, 256, 665, 671, 674, 675-83, 822
Norchip, 145-8, 150-7, 193, 196, 272, 298, 329-31, 333-7, 381-7, 406, 442, 503-4, 506-8, 599, 603, 609, 665, 774-5, 777, 780, 782-3, 785-7, 802, 808, 812, 815, 949-53, 956-7
Nordling, 697
Norgleam, 193-4
Norgold, 665, 673, 840
Norgold Russet, 313, 315-6, 762, 804-5, 822, 925-6
Norland, 2, 6, 9, 29, 30, 381-7, 599, 603, 609, 697, 790, 802, 812
Oneida, 790
Ontario, 2, 6, 9, 189-91, 626, 926
Pioneer, 301-4

- Platte OP, 650
Pungo, 2, 6, 9, 627-9
Red LaSoda, 381-7, 665
Red McClure, 775, 779, 783
Red Pontiac, 2, 6, 9, 29, 30, 41, 44, 161-2, 164-5, 220, 381-7, 404-5, 461-2, 664-5, 790-1
Richter's Jubel, 190
Rideau, 193
Rosita, 56, 66
Russet Burbank, 41-2, 44, 100, 104, 110, 112-3, 115-22, 145-58, 161-2, 164-5, 169, 171-3, 176, 179-81, 183-6, 193-4, 227-8, 230, 232-3, 235-7, 239, 256, 290, 301-7, 310, 313, 315-6, 329-31, 333-7, 375, 382, 403, 409-12, 423, 425-6, 430, 465, 469, 563-4, 569, 571, 602, 609, 632, 634-5, 665, 672, 674, 675-82, 685-90, 697, 717, 719-22, 735-6, 739-42, 748-55, 802-3, 808, 812, 815, 818, 822, 915, 926-7, 929, 933-6, 949-53, 956-7
Saco, 100, 104, 840
Sebago, 2, 6, 9, 381-7, 600, 802, 927, 941
Simcoe, 644
Spunta, 812
Stately, 190
Superior, 2, 6, 9, 41, 44, 191, 193, 195-7, 281, 285, 295, 299, 802, 862-6, 929
Targhee, 803
Ticahausi, 67
Viking, 2, 6, 9, 193-4, 804
Warba, 599, 601, 602, 604, 609
Wauseon, 299
White Rose, 127, 131-2, 134, 137-8, 261, 263, 329-31, 333-7, 381-7, 578, 581-2, 584, 685-6, 688-90, 822
Potato blackleg, 853-4
Potato breeding, 537
Potato cultivars, 381
Potato flake quality, 85, 441
Potato flakes, 511
Potato growth analysis, 717, 823-4
Potato quality, 145, 193
Potato seed, 537
Potato solids, 671, 685, 688-9
Potato transplants, 811, 818
Potato wilt, 47
PPO, 861, 864, 866
Pregerminated seed, 557, 559-61, 807
Processing changes, 735
Processing wastewater, 810
Profitability, 503, 508
Protein, 35, 145, 148-50, 152-3
Protein index, 35
Quality score, 930
Rainbird sprinkler head, 172
Rancid off flavor, 513
Recombinant DNA, 587, 589
Recurrent selection, 537
Reducing sugar, 4, 8, 10, 12, 145, 147-55, 157-8
Rendite, 68
Resistance, 653-4, 658, 804

- Respiration, 321
- Rindite, 162
- Ring rot, 298-9
- Ring-rot bacteria, 461
- Root knot, 339, 353
- Rosemary extract, 515, 518-9, 522
- Rutgers tomato, 593-4, 595
- SAPP, 87
- Scab, 298-9
- SCSD, 760, 765-6, 768-9
- Second growth, 676
- Seed certification, 759
- Seed development, 820
- Seed extraction, 245-6, 249-50
- Seed germination, 75, 245, 250-1, 801
- Seed spacing, 929
- Seed storage, 217
- Seed tuber, 403
- Seeding methods, 245, 247, 251
- Seedpiece, 403
- Seedpiece inoculation, 179
- Seedpiece spacing, 116
- Seedset, 527, 530-1, 534
- Selection efficiency, 607, 614
- SEM, 773-5
- Sensory evaluation, 824
- Sensory quality, 936
- Serology, 369
- Shallow eyes, 599
- Shoot tip culture, 469
- Silver scurf, 281, 773, 787
- Size of tubers, 570, 574
- Sloughing, 693, 695-6
- Soft rot, 1, 759
- Soil fumigant
 - Telone C-17, 289
- Soil pH, 915, 917
- Soil test, 264
- Soil texture, 671
- Soybean
 - Maple Arrow, 509
- Specific gravity, 17, 24-5, 111-2, 115, 119, 135, 137, 149-50, 182, 191, 195-6, 255, 274, 276-7, 300, 306, 564, 601, 603, 745, 748, 752, 801, 915-6, 927-8, 930, 949, 952
- Spray drift, 940
- Spraying, 817
- Sprinkler irrigation, 747, 750
- Sprout inhibitors
 - CIPC, 42
 - Maleic hydrazide, 289
- Sprouting, 563
- SSL, 86-9, 93-7, 442, 444, 447
- Starch, 738

- Starter fertilizers, 813
- Stem number, 423, 426, 428-9
- Stems per hill, 570, 572
- Stolons per hill, 572
- Stomatal activity, 808
- Storage, 55-8, 65, 75, 82
- Storage problems, 753, 757
- Storage technology, 199
- Storage temperature, 145, 149, 321-2, 423, 425-6
- Suberin, 41
- Sucrose, 145, 147, 149-58, 321-2, 324-7, 329, 331-3, 336, 949-50, 954-5, 957
- Sucrose rating, 816
- Sugars, 738
- Sunflowers, 759, 761, 765, 768-9
- Surfactant, 85-6, 441-2, 444-6
- Table potato, 925
- Table stock variety, 599
- Taste testing, 511
- TBP 862-3, 866
- Temperature, 20-3, 489, 498, 500
- Temperature and yield, 572
- Tenox, 5B, 87
- TGA levels, 403-7
- Thermal optimum, 490, 495
- Tissue culture, 27, 873
- Tissue culture bank, 823
- Tissue culture plantlets, 839
- Tissue staining, 775
- TLC, 627, 793-4
- Top desiccant, 939, 944
- Top killing, 111
- Total solids, 739, 935
- Total sugar, 4, 8, 10, 12
- TPS, 393-4, 398, 401
- TPS families, 813-4
- Translucent areas, 820
- Transplants, 645, 647
- True potato seed, 245-6, 253
- True seed, 587, 594-5, 645-6, 650
- Tuber appearance, 819
- Tuber dormancy, 161, 163, 166, 169, 171, 173
- Tuber grade, 745
- Tuber initiation, 175
- Tuber numbers, 730
- Tuber per hill, 570, 572, 574
- Tuber reabsorption, 573
- Tuber resistance, 827
- Tuber rot, 939, 941, 946
- Tuber set, 423
- Tuber size, 949, 954-5
- Tuber size distribution, 186
- Tuber surface area, 831

- Tuber uniformity, 393
- Tuber weight, 147-55
- Tuber yield, 721, 748, 749, 751, 755
- Tuberin, 803
- Tuberization, 539-40
- Tubers per plant, 385, 425, 429
- 2N eggs, 821
- 2N pollen, 527, 529, 531-3, 645
- 2X phureja-haploid tuberosum hybrids, 645, 648
- Urea, 913-4, 916-7
- Vascular discoloration, 235, 239
- Verticillium wilt, 197
- Vine killers
 - Dinoseb, 815
 - Diquat, 817
 - Paraquat, 940-1
- Pre-treatment
 - Ametryn, 815
 - Chloroprotham, 815
 - Cyanazine, 815
 - Endothall, 815
 - Ethephon, 815-6
 - JMS stylet oil, 815
 - Prometon, 815
- Vine killing, 829, 836
- Vine maturity, 819
- Viroid, 587-8
- Virus
 - A, 302, 369-70, 373, 839-40, 842-3
 - Beet western yellows, 235, 237, 240, 243, 469
 - Leafroll, 193, 235, 237-8, 240-1, 295, 298-9, 303, 309, 316, 369, 839-40, 842-6
 - M, 99, 100, 102-7, 839-40, 842-5
 - Mild mosaic, 193
 - PLRV, 65, 309-13, 315-6, 318, 320, 354, 371
 - PSTV, 587-8, 591-6
 - Rugose mosaic, 193
 - S, 302, 369, 371-2, 381, 383, 469-73, 806, 839-40, 842-6
 - SALCV, 810
 - Tobacco mosaic, 469
 - X, 111, 235, 237, 240-3, 295, 298-9, 301-7, 354, 369, 381, 383, 469, 471-2; 602, 806, 839-40, 842-6, 927
 - Y, 111, 298, 301-8, 354, 372-3, 839-40, 842-6, 927
- Virus free clones, 381, 383, 388
- Vitamins, 735, 740-1
- Volunteer plants, 767
- Volunteer potatoes, 289, 292-4
- Waste treatment, 543, 546
- Waste water, 545
- Water-emulsified asphalt, 252
- Water holding capacity, 745
- Water relations, 824
- Water stress, 671-2, 827, 829

Weed control, 245, 247, 253-4, 271, 275, 278

Weight loss, 225, 828

White skinned, 599

Whole seed, 618, 620, 622

Wound periderm, 232

Yellow mustard, 765

Yield, 30, 31, 35, 111, 115, 133, 135, 182-5, 191, 193, 195-6, 207, 225, 255, 264, 272, 277, 299,
300-1, 305-7, 381, 383-7, 409, 419, 423, 429-30, 539, 541, 601, 603, 611, 614, 634, 637, 639,
640-1, 647, 649, 671, 675-6, 804, 815, 819, 914-16, 927-9, 945-6, 951

Yield and quality, 577

Yield parameters, 569

Zero tolerance, 662

